



AGRANA - Creamy, Brity, Foamy with AGENAJEL 20.306.doc release 01, 31.05.19 Page 1 of 2

Creamy, Brity, Foamy with AGENAJEL 20.306 "Formulated and developed by AZELIS"

AGENAJEL 20.306

Agenagel 20.306 is a natural aqueous gelling agent derived from corn starch. It is cold processable and brings body to skincare formulas. It also stabilises emulsions while providing a smooth and creamy texture.

Cosmos, China approved and NOI = 0.99, this is the ideal ingredient for your natural formulations

Ingredients	INCI-Name	‰w/W	Supplier
Phase A			
Camellia Seed Oil I.S	Camellia Oleifera Seed Oil	10,00	
Rosa Rugosa Oil I.S	Rosa Rugosa Fruit Extract	5,00	
Phase B			
Deionised Water	Aqua	To 100	
Balanova Trisodium Citrate	Sodium Citrate	0,3	
Phase C			
BrontideTM	Butylene Glycol	5,00	
Keltrol® CG-LAX-T	Xanthan Gum	0,50	
Phase D			
AGENAJEL 20.306	DISTARCHPHOSPHATE	5,00	AGRANA
Phase E			
Hostapon® CCG	Sodium Cocoyl Glutamate	10,00	
Genagen® KB	Coco Betaine	10,00	
GlucoTain® Plus	Capryloyl/Caproyl Methyl Glucamide, Lauroyl/Myristoyl Methyl Glucamide	10,00	
Phase F		·	
Almond Milk Natura	Parfum	0,40	
Nipaguard® SCE	Sorbitan Caprylate, Propanediol, Benzoic Acid	1,00	
Phase G			
Purac® HiPure 90	Lactic Acid, Aqua	pH 5.0- 5.5	



AGRANA STARCH

AGRANA - Creamy, Brity, Foamy with AGENAJEL 20.306.doc release 01, 31.05.19 Page 2 of 2

Manufacturing Instructions

Mix the components of phase A.

In a separate beaker, prepare phase B by dissolving sodium citrate into water.

Prepare phase C by dispersing Keltrol® CG-LAX-T into BrontideTM. Add the dispersion into phase B and stir until you obtain a homogeneous clear blend.

Slowly add Agenajel 20.306 into phase BC by increasing stirring rate with the increasing viscosity. Keep stirring until you obtain a homogeneous smooth blend.

Add the surfactants of phase E one by one under moderate speed to avoid formation of foam.

Emulsify with High shear the aqueous phase (phase BCDE) into oil phase (phase A).

Add the components of phase F one by one and gently stir in between until homogenous. Adjust pH to 5.0 - 5.5 with phase G.

Specification

pН	5.0 - 5.5	
Stability	6 weeks @ RT and 40°C	
Viscosity	5500 – 6000 cPs	
	Brookfield RV, Spindle 4, 20rpm	

This formulation is indicative only and no responsibility whatsoever will be assumed. This formulation is offered solely for your consideration, investigation and verification. It is your responsibility to thoroughly test any formulations before use. All those who use our formulations as well as those who process AGRANA Starches are themselves entirely responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies. AGRANA does not assure any liability with respect to the composition of the formulation or the use in products.