

**Ingredients** 

# **AGRANA STARCH**

%w/w

Supplier

AGRANA - Glammy Highlighter Stick Glow'rious Wonderland Color Cosmetics with AGENAFLO OS 9051.doc release 01, 03.08.21 Page 1 of 1

# Glammy Highlighter Stick- "Glow'rious Wonderland" with AGENAFLO OS 9051

"Formulated and developed by ECKART GmbH"

**INCI-Name** 

| Phase A            |   | •     |            |
|--------------------|---|-------|------------|
| Miglyol PPG 810    | Propylene Glycol Dicaprylate/Dicaprate 27                         | 27,40 | Ioioleo    |
| Ceraphyl 847       | Octyldodecyl Stearoyl Stearate                                    | 11,00 | Ashland    |
| Acticire           | Jojoba Esters and Acacia Decurrens Flower Wax and                 | 5,00  | Gattefosse |
|                    | Helianthus Annuus (Sunflower) Seed Wax and Polyglyceryl-3         | -     |            |
| Lipocire A Pellets | C10-18 Triglycerides  | 5,00  | Gattefosse |
| Lexgard O          | Caprylyl Glycol   | 1,00  | Inolex     |
| Kahlwax 6700       | Copernicia Cerifera Cera (and) Polyethylene (and) C30-50 Alcohols | 6,20  | Kahlwax    |
|                    | (and) Montan Acid Wax (and) Shorea Robusta Resin (and)            | -     |            |
|                    | Hydrogenated Styrene/Methylstyrene/Indene Copolymer               |       |            |
| TIXOGEL-VSP        | Cyclomethicone (and) Quaternium-90 Bentonite                      | 15,00 | Eckart     |
|                    | (and) Propylene Carbonate   | ,     |            |

#### Phase B

| Granpowder USQ          | Polymethylsilsesquioxane (and) HDI/Trimethylol Hexyllactone | 6,50 | Grantinc |
|-------------------------|---|------|----------|
|                         | Crosspolymer  |      |          |
| <b>AGENAFLO OS 9051</b> | ALUMINUM STARCH OCTENYLSUCCINATE                            | 8,00 | AGRANA   |
| SYNAFIL S1050           | Synthetic Fluorphlogopite                                   | 7,00 | Eckart   |
| MIRAGE Champagne        | Calcium Sodium Borosilicate (and) Iron Oxides               | 0,50 | Eckart   |
| MIRAGE Sparkling        | Calcium Sodium Borosilicate (and) Titanium Dioxide (and)    | 2,00 | Eckart   |
| Silver                  | Tin Oxide   |      |          |
| MIRAGE Glamour Gold     | Calcium Sodium Borosilicate (and) Titanium Dioxide (and)    | 3,00 | Eckart   |
|                         | Tin Oxide   |      |          |
| MIRAGE Glamour Red      | Calcium Sodium Borosilicate (and) Titanium Dioxide (and)    | 4,00 | Eckart   |
|                         | Tin Oxide   |      |          |
| Angieberry              | Fragrance   | 0,10 | Drom     |

### **Procedure:**

- 1. Melt phase A by heating to 80-85°C
- 2. Add the ingredients of phase B
- 3. Stir until uniform and pour into stick mold
- 4. Cool down to RT

## Stability:

Stable for at least 6 months at RT and 40°C.

Stable for at least 1 month at 50°C.

This formulation is indicative only and no responsibility whatsoever will be assumed. This formulation is offered solely for your consideration, investigation and verification. It is your responsibility to thoroughly test any formulations before use. All those who use our formulations as well as those who process AGRANA Starches are themselves entirely responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies. AGRANA does not assure any liability with respect to the composition of the formulation or the use in products.

